

## Complete Summary

---

### GUIDELINE TITLE

Prescribing therapy services for children with motor disabilities.

### BIBLIOGRAPHIC SOURCE(S)

Michaud LJ. Prescribing therapy services for children with motor disabilities. Pediatrics 2004 Jun; 113(6): 1836-8. [23 references] [PubMed](#)

### GUIDELINE STATUS

This is the current release of the guideline.

American Academy of Pediatrics (AAP) Policies are reviewed every 3 years by the authoring body, at which time a recommendation is made that the policy be retired, revised, or reaffirmed without change. Until the Board of Directors approves a revision or reaffirmation, or retires a statement, the current policy remains in effect.

## COMPLETE SUMMARY CONTENT

SCOPE  
 METHODOLOGY - including Rating Scheme and Cost Analysis  
 RECOMMENDATIONS  
 EVIDENCE SUPPORTING THE RECOMMENDATIONS  
 BENEFITS/HARMS OF IMPLEMENTING THE GUIDELINE RECOMMENDATIONS  
 QUALIFYING STATEMENTS  
 IMPLEMENTATION OF THE GUIDELINE  
 INSTITUTE OF MEDICINE (IOM) NATIONAL HEALTHCARE QUALITY REPORT  
 CATEGORIES  
 IDENTIFYING INFORMATION AND AVAILABILITY  
 DISCLAIMER

## SCOPE

### DISEASE/CONDITION(S)

Motor disabilities, including those related to:

- Cerebral palsy
- Traumatic brain injury
- Myelomeningocele
- Spinal cord injury
- Neuromuscular disease
- Juvenile rheumatoid arthritis

- Arthrogryposis
- Limb deficiencies

#### GUIDELINE CATEGORY

Management

#### CLINICAL SPECIALTY

Family Practice  
Pediatrics  
Physical Medicine and Rehabilitation  
Speech-Language Pathology

#### INTENDED USERS

Health Care Providers  
Physician Assistants  
Physicians

#### GUIDELINE OBJECTIVE(S)

To define the context in which rehabilitation therapies should be prescribed, emphasizing the evaluation and enhancement of the child's function and abilities and participation in age-appropriate life roles

#### TARGET POPULATION

Children with motor disabilities

#### INTERVENTIONS AND PRACTICES CONSIDERED

1. Accurate diagnosis /description of disability
2. Development of appropriate prescription for therapy programs (physical, occupational, and speech-language)
3. Establishment of realistic functional goals (both short- and long-term)
4. Regular communication among parents and other caregivers, therapists, educators, and prescribing physicians
5. Parent and caregiver education

#### MAJOR OUTCOMES CONSIDERED

Effectiveness of therapy for motor disability

### METHODOLOGY

#### METHODS USED TO COLLECT/SELECT EVIDENCE

Searches of Electronic Databases

## DESCRIPTION OF METHODS USED TO COLLECT/SELECT THE EVIDENCE

Not stated

## NUMBER OF SOURCE DOCUMENTS

Not stated

## METHODS USED TO ASSESS THE QUALITY AND STRENGTH OF THE EVIDENCE

Not stated

## RATING SCHEME FOR THE STRENGTH OF THE EVIDENCE

Not applicable

## METHODS USED TO ANALYZE THE EVIDENCE

Review

## DESCRIPTION OF THE METHODS USED TO ANALYZE THE EVIDENCE

Not stated

## METHODS USED TO FORMULATE THE RECOMMENDATIONS

Not stated

## RATING SCHEME FOR THE STRENGTH OF THE RECOMMENDATIONS

Not applicable

## COST ANALYSIS

A formal cost analysis was not performed and published cost analyses were not reviewed.

## METHOD OF GUIDELINE VALIDATION

Peer Review

## DESCRIPTION OF METHOD OF GUIDELINE VALIDATION

Not stated

## RECOMMENDATIONS

### MAJOR RECOMMENDATIONS

## The Pediatrician's Role

The pediatrician's responsibility in writing a prescription for therapy includes providing an accurate diagnosis when possible. When the exact cause of the disability is not apparent, the physician must provide an accurate description of the medical condition and note whether the child has a transient, static, or progressive impairment. In addition to the primary motor disorder, all potential associated problems such as learning disabilities, mental retardation, sensory impairment, speech disorders, emotional difficulties, and seizure disorders must be identified, and a care plan must be recommended. There are some children with special needs whose medical conditions may be affected adversely by movement or other specific therapeutic activities; therapists and caregivers should be advised to take appropriate precautions with these children.

The physician's prescription for therapy should contain, in addition to the child's diagnosis: age; precautions; type, frequency, and duration of therapy; and designated goals. Goals for physical, occupational, and speech-language therapy do not depend solely on the diagnosis or age of the child, and they are most appropriate when they address the functional capabilities of the individual child and are relevant to the child's age-appropriate life roles (school, play, work). The pediatrician should work with the family, child, therapists, school personnel, developmental diagnostic or rehabilitation team, and other physicians to establish realistic functional goals. The pediatrician can assist families in identifying the short- and long-term goals of treatment, establishing realistic expectations of therapy outcomes, and understanding that therapy will usually help the child adapt to the condition but not change the underlying neuromuscular problem. Pediatricians should be encouraged to seek and use expert consultation as in any other area of medicine. Helpful resources may include local and regional diagnostic and intervention teams, early intervention and developmental evaluation programs, developmental pediatricians, pediatric physiatrists, pediatric neurologists, pediatric orthopedists, and orthotists.

Regular communication among parents and other caregivers, therapists, educators, and prescribing physicians should be ongoing, with periodic reevaluations to assess the achievement of identified goals, to direct therapy toward new objectives, and to determine when therapy is no longer warranted. Changes in the child's status (e.g., surgical intervention, school-to-work transition warranting assistive technology intervention) may indicate resumption of specific short-term, goal-directed services.

## Summary

Successful therapy programs are individually tailored to meet the child's functional needs and should be comprehensive, coordinated, and integrated with educational and medical treatment plans, with consideration of the needs of parents and siblings. This can be facilitated by primary care pediatricians and tertiary care centers working cooperatively to provide care coordination in the context of a medical home.

## CLINICAL ALGORITHM(S)

None provided

## EVIDENCE SUPPORTING THE RECOMMENDATIONS

### TYPE OF EVIDENCE SUPPORTING THE RECOMMENDATIONS

The type of supporting evidence is not specifically stated for each recommendation.

## BENEFITS/HARMS OF IMPLEMENTING THE GUIDELINE RECOMMENDATIONS

### POTENTIAL BENEFITS

If the child has motor problems severe enough to interfere with mobility, self-care, or communication, therapists may provide a program to help the child ameliorate, compensate for, or adapt to the impairment or disability. Physical, occupational, and speech-language therapists, working with the family, child, physician, and teacher, promote a positive functional adaptation to impairment or disability in the context of the child's developmental progress.

### POTENTIAL HARMS

There are some children with special needs whose medical conditions may be affected adversely by movement or other specific therapeutic activities; therapists and caregivers should be advised to take appropriate precautions with these children.

## QUALIFYING STATEMENTS

### QUALIFYING STATEMENTS

The guidance in this report does not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

## IMPLEMENTATION OF THE GUIDELINE

### DESCRIPTION OF IMPLEMENTATION STRATEGY

An implementation strategy was not provided.

## INSTITUTE OF MEDICINE (IOM) NATIONAL HEALTHCARE QUALITY REPORT CATEGORIES

### IOM CARE NEED

Living with Illness

### IOM DOMAIN

Effectiveness  
Patient-centeredness

## IDENTIFYING INFORMATION AND AVAILABILITY

### BIBLIOGRAPHIC SOURCE(S)

Michaud LJ. Prescribing therapy services for children with motor disabilities. Pediatrics 2004 Jun; 113(6): 1836-8. [23 references] [PubMed](#)

### ADAPTATION

Not applicable: The guideline was not adapted from another source.

### DATE RELEASED

2004 Jun 6

### GUIDELINE DEVELOPER(S)

American Academy of Pediatrics - Medical Specialty Society

### SOURCE(S) OF FUNDING

American Academy of Pediatrics

### GUIDELINE COMMITTEE

Committee on Children With Disabilities

### COMPOSITION OF GROUP THAT AUTHORED THE GUIDELINE

Committee on Children With Disabilities, 2003–2004: Adrian D. Sandler, MD, Chairperson; J. Daniel Cartwright, MD; John C. Duby, MD; Chris Plauch Johnson, MD, MEd; Lawrence C. Kaplan, MD; Eric B. Levey, MD; Nancy A. Murphy, MD; Ann Henderson Tilton, MD

Past Committee Members: W. Carl Cooley, MD; Theodore A. Kastner, MD; Marian E. Kummer, MD

Liaisons: Bev Crider, Family Voices; Merle McPherson, MD, Maternal and Child Health Bureau; Linda J. Michaud, MD, American Academy of Physical Medicine and Rehabilitation; Marshalyn Yeargin-Allsopp, MD, Centers for Disease Control and Prevention

Staff: Stephanie Mucha, MPH

### FINANCIAL DISCLOSURES/CONFLICTS OF INTEREST

Not stated

#### GUIDELINE STATUS

This is the current release of the guideline.

American Academy of Pediatrics (AAP) Policies are reviewed every 3 years by the authoring body, at which time a recommendation is made that the policy be retired, revised, or reaffirmed without change. Until the Board of Directors approves a revision or reaffirmation, or retires a statement, the current policy remains in effect.

#### GUIDELINE AVAILABILITY

Electronic copies: Available from the [American Academy of Pediatrics \(AAP\) Publications Web site](#).

Print copies: Available from American Academy of Pediatrics, 141 Northwest Point Blvd., P.O. Box 927, Elk Grove Village, IL 60009-0927.

#### AVAILABILITY OF COMPANION DOCUMENTS

None available

#### PATIENT RESOURCES

None available

#### NGC STATUS

This NGC summary was completed by ECRI on August 9, 2004. The information was verified by the guideline developer on September 27, 2004.

#### COPYRIGHT STATEMENT

This NGC summary is based on the original guideline, which is subject to the guideline developer's copyright restrictions. Please contact the Permissions Editor, American Academy of Pediatrics (AAP), 141 Northwest Point Blvd, Elk Grove Village, IL 60007.

### DISCLAIMER

#### NGC DISCLAIMER

The National Guideline Clearinghouse™ (NGC) does not develop, produce, approve, or endorse the guidelines represented on this site.

All guidelines summarized by NGC and hosted on our site are produced under the auspices of medical specialty societies, relevant professional associations, public

or private organizations, other government agencies, health care organizations or plans, and similar entities.

Guidelines represented on the NGC Web site are submitted by guideline developers, and are screened solely to determine that they meet the NGC Inclusion Criteria which may be found at <http://www.guideline.gov/about/inclusion.aspx>.

Neither NGC, AHRQ, or its contractor ECRI, make any warranties concerning the content or clinical efficacy or effectiveness of the clinical practice guidelines and related materials represented on this site. Moreover, the views and opinions of developers or authors of guidelines represented on this site do not necessarily state or reflect those of NGC, AHRQ, or its contractor ECRI, and inclusion or hosting of guidelines in NGC may not be used for advertising or commercial endorsement purposes.

Readers with questions regarding guideline content are directed to contact the guideline developer.

© 1998-2005 National Guideline Clearinghouse

Date Modified: 11/21/2005



